

# SAFETY DATA SHEET

Creation Date 29-May-2015

Revision Date 14-Feb-2020

**Revision Number** 2

1. Identification

**Product Name** 

p-Toluidine

A13698

Cat No. :

CAS-No

**Synonyms** 

106-49-0 4-Aminotoluene; 4-Methylaniline

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

<u>Company</u>

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

## **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

**Classification** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 3	
Acute dermal toxicity	Category 3	
Acute Inhalation Toxicity - Dusts and Mists	Category 3	
Serious Eye Damage/Eye Irritation	Category 2	
Skin Sensitization	Category 1	
Carcinogenicity	Category 2	

# Label Elements

Signal Word Danger

## **Hazard Statements**

May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer Toxic if swallowed, in contact with skin or if inhaled



#### Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

## Response

IF exposed or concerned: Get medical attention/advice

## Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

## Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
p-Toluidine	106-49-0	>95

# 4. First-aid measures

Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.
Ingestion	Call a physician immediately. Clean mouth with water.
Most important symptoms and effects	May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	87 °C / 188.6 °F
Method -	No information available
Autoignition Temperature	480 °C / 896 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available

# Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

# **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 3	Flammability	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions Environmental Precautions	Do not flush into surface wa contaminate ground water	ater or sanitary sewer system.	entering drains. Local authorities
Methods for Containment and C Up	<b>Elean</b> Provide adequate ventilation Remove all sources of ignit		suitable containers for disposal.
	7. Handling a	and storage	
Handling		it get in eyes, on skin, or on clo scharges. Handle product only	

appropriate exhaust ventilation. Minimize dust generation and accumulation. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Keep in a dry, cool and well-ventilated place. Refer product specification and/or product label for specific storage temperature requirement. Keep container tightly closed. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls / personal protection

## Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
p-Toluidine	TWA: 2 ppm Skin	(Vacated) TWA: 2 ppm (Vacated) TWA: 9 mg/m <sup>3</sup>		TWA: 2 ppm
		Skin		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Solid
Appearance	Light brown
Odor	aromatic
Odor Threshold	No information available
рН	7.8 7 g/l aq.sol
Melting Point/Range	41 - 46 °C / 105.8 - 114.8 °F
Boiling Point/Range	200 °C / 392 °F
Flash Point	87 °C / 188.6 °F
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	1.3 mbar @ 43 °C
Vapor Density	Not applicable
Specific Gravity	1.05
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	480 °C / 896 °F
Decomposition Temperature	No information available
• •	

Viscosity Molecular Formula Molecular Weight	Not applicable C7 H9 N 107.15
	10. Stability and reactivity
Reactive Hazard	None known, based on information available

Stability	Light sensitive.
Conditions to Avoid	Temperatures above 220°C. Exposure to light. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Chloroformates
Hazardous Decomposition Produc	ts Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

# **Product Information**

Component Informa						
Componer		LD50 Oral				nhalation
p-Toluidine	Ð	LD50 = 336 mg/kg (Rat) LD50 = 890 mg/kg (Rabbit) LC50 > 640 mg/m				
oxicologically Syn	ergistic	No information ava	ilable			
Products						
Delayed and immed	liate effects	as well as chronic effect	cts from short ar	d long-term expos	ure	
rritation		Irritating to eyes				
Sensitization		May cause sensitiz	ation by skin con	act		
Carcinogenicity		The table below inc	dicates whether e	ach agency has liste	ed any ingredient a	as a carcinogen
Component	CAS-No	D IARC	NTP	ACGIH	OSHA	Mexico
p-Toluidine	106-49-	0 Not listed				A3
Nutagenic Effects		No information ava	ilable			
Reproductive Effec	ts	No information ava	ilable.			
Developmental Effe	ects	No information ava	ilable.			
Teratogenicity		No information ava	ilable.			
STOT - single expo STOT - repeated ex		None known None known				
Aspiration hazard		No information ava	No information available			
Symptoms / effects delayed	s,both acute		d Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing			
Endocrine Disrupto	or Informatio	n No information ava	ilable			
Other Adverse Effe	cts	The toxicological p	The toxicological properties have not been fully investigated.			

# 12. Ecological information

### Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

No information available.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
p-Toluidine	EC50: = 118 mg/L, 48h (Tetrahymena pyriformis)	LC50: 100 - 220 mg/L, 96h static (Brachydanio rerio) LC50: 135 - 163 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 150 mg/L 24 h EC50 = 4.27 mg/L 30 min	Not listed

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** 

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
p-Toluidine	1.6

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
p-Toluidine - 106-49-0	U353	-

	14. Transport information
DOT	
UN-No	UN3451
Proper Shipping Name	TOLUIDINES, SOLID
Hazard Class	6.1
Packing Group	II
<u>_TDG</u>	
UN-No	UN3451
Proper Shipping Name	TOLUIDINES, SOLID
Hazard Class	6.1
Packing Group	II
<u>IATA</u>	
UN-No	UN3451
Proper Shipping Name	TOLUIDINES, SOLID
Hazard Class	6.1
Packing Group	II
IMDG/IMO	
UN-No	UN3451
Proper Shipping Name	TOLUIDINES, SOLID
Hazard Class	6.1
Packing Group	
	15 Degulatory information

15. Regulatory information

#### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
p-Toluidine	106-49-0	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
p-Toluidine	106-49-0	Х	-	203-403-1	Х	Х	Х	Х	KE-23448

#### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	This material, as supplied, contains

s one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
p-Toluidine	100 lb	-
California Proposition 65 This p	roduct does not contain any Proposition 65 ch	emicals.

# California Proposition 65

#### U.S. State Right-to-Know Regulations

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
p-Toluidine	Х	Х	Х	Х	Х

# **U.S.** Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade

No information available

	16. Other information	
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com	
Creation Date Revision Date	29-May-2015 14-Feb-2020	

Print Date Revision Summary 14-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 106-49-0/2.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**