

# SAFETY DATA SHEET

Revision Date 24-Feb-2020

**Revision Number** 2

| 1. Identification  |   |  |
|--|---|--|
| Product Name   | Manganese(II) nitrate, 50% w/w aqueous solution |  |
| Cat No. :  | 33340   |  |
| Synonyms   | No information available                        |  |
| Recommended Use Laboratory chemicals.   Uses advised against Food, drug, pesticide or biocidal product use.   Details of the supplier of the safety data sheet                                 |   |  |
| Company<br>Alfa Aesar<br>Thermo Fisher Scientific Chemicals, I<br>30 Bond Street<br>Ward Hill, MA 01835-8099<br>Tel: 800-343-0660<br>Fax: 800-322-4757<br>Email: tech@alfa.com<br>www.alfa.com | nc.   |  |

## **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Category 2 Category 4 Category 1 C Category 1 Category 2

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Oxidizing liquids                                    |
|--|
| Acute oral toxicity                                  |
| Skin Corrosion/Irritation                            |
| Serious Eye Damage/Eye Irritation                    |
| Specific target organ toxicity - (repeated exposure) |
| Target Organs - Brain.                               |
|  |

# Label Elements

Signal Word Danger

#### **Hazard Statements**

May cause fire or explosion; strong oxidizer Harmful if swallowed Causes severe skin burns and eye damage May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear respiratory protection

# Response

Immediately call a POISON CENTER or doctor/physician

# Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

## Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

#### Rinse mouth

Do NOT induce vomiting

# Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

Corrosive to the respiratory tract

# 3. Composition/Information on Ingredients

| Component         | CAS-No     | Weight % |
|-------------------|------------|----------|
| Water             | 7732-18-5  | 50       |
| Manganese nitrate | 10377-66-9 | 50       |

# 4. First-aid measures

General AdviceShow this safety data sheet to the doctor in attendance. Immediate medical attention is<br/>required.Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

|                                     | Immediate medical attention is required.   |
|-------------------------------------|--|
| Skin Contact                        | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.  |
| Inhalation                          | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| Ingestion                           | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.   |
| Most important symptoms and effects | Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation                                |
| Notes to Physician                  | Treat symptomatically  |
|                                     |  |

5. Fire-fighting measures

| Suitable Extinguishing Media                 | Not combustible. CO 2, dry chemical, dry sand, alcohol-resistant foam. |
|--|--|
| Unsuitable Extinguishing Media               | No information available   |
| Flash Point<br>Method -                      | No information available<br>No information available                   |
| Autoignition Temperature<br>Explosion Limits | No information available   |
| Upper  | No data available  |
| Lower  | No data available  |
| Oxidizing Properties                         | Oxidizer   |

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

# **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

**Hazardous Combustion Products** 

Nitrogen oxides (NOx). Metal oxides.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

| <u>NFPA</u><br>Health<br>3 | <b>Flammability</b><br>0   | <b>Instability</b><br>0  | Physical hazards<br>- OX |
|----------------------------|--|--|--------------------------|
|                            | 6. Accidental re   | lease measures   |                          |
| Personal Precautions       |  | n. Use personal protective equ<br>eep people away from and upv |                          |
| Environmental Precautions  | Should not be released into the environment. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. |  |                          |

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up Sweep up and shovel into suitable containers for disposal.

|          | 7. Handling and storage  |
|----------|--|
| Handling | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials. |
| Storage  | Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.   |

8. Exposure controls / personal protection

## Exposure Guidelines

| Component         | ACGIH TLV   | OSHA PEL   | NIOSH IDLH   | Mexico OEL (TWA)           |
|-------------------|---|--|--|----------------------------|
| Manganese nitrate | TWA: 0.02 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> | (Vacated) Ceiling: 5 mg/m <sup>3</sup><br>Ceiling: 5 mg/m <sup>3</sup> | IDLH: 500 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup><br>STEL: 3 mg/m <sup>3</sup> | TWA: 0.2 mg/m <sup>3</sup> |

## <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

| Engineering Measures          | Ensure that eyewash stations and safety showers are close to the workstation location.<br>Ensure adequate ventilation, especially in confined areas.  |
|-------------------------------|---|
| Personal Protective Equipment |   |
| Eye/face Protection           | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.   |
| Skin and body protection      | Wear appropriate protective gloves and clothing to prevent skin exposure.   |
| Respiratory Protection        | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| Hygiene Measures              | Handle in accordance with good industrial hygiene and safety practice.  |

| 9                                | 9. Physical and chemical properties |
|----------------------------------|-------------------------------------|
| Physical State                   | Liquid                              |
| Appearance                       | Pink                                |
| Odor                             | Amine compounds                     |
| Odor Threshold                   | No information available            |
| рН                               | 1                                   |
| Melting Point/Range              | No data available                   |
| Boiling Point/Range              | No information available            |
| Flash Point                      | No information available            |
| Evaporation Rate                 | No information available            |
| Flammability (solid,gas)         | Not applicable                      |
| Flammability or explosive limits |                                     |
| Upper                            | No data available                   |
| Lower                            | No data available                   |
|                                  |                                     |

| Vapor Pressure                         |
|--|
| •                                      |
| Vapor Density                          |
| Specific Gravity                       |
| Solubility                             |
| Partition coefficient; n-octanol/water |
| Autoignition Temperature               |
| Decomposition Temperature              |
| Viscosity                              |
| Molecular Formula                      |
| Molecular Weight                       |

<=1100 hPa @ 50 °C No information available 1.54 g/cm3 No information available No data available No information available No information available No information available MnN2 O6 178.95

# 10. Stability and reactivity

| Reactive Hazard  | Yes   |  |
|--|---|--|
| Stability  | Oxidizer: Contact with combustible/organic material may cause fire. |  |
| Conditions to Avoid  | Incompatible products. Excess heat. Combustible material.           |  |
| Incompatible Materials   | Strong bases, Strong reducing agents, Combustible material          |  |
| Hazardous Decomposition Products Nitrogen oxides (NOx), Metal oxides |   |  |
| Hazardous Polymerization   | Hazardous polymerization does not occur.                            |  |
| Hazardous Reactions  | None under normal processing.                                       |  |

# 11. Toxicological information

## Acute Toxicity

| Product Information    | n             |                                     |  |                      |                      |                    |            |  |
|------------------------|---------------|-------------------------------------|--|----------------------|----------------------|--------------------|------------|--|
| Oral LD50              |               | Category 4. ATE = 300 - 2000 mg/kg. |  |                      |                      |                    |            |  |
| Dermal LD50            |               |                                     |  |                      | n criteria are not m | et. ATE > 2000 mg  | J/kg.      |  |
| Vapor LC50             |               |                                     | Based on ATE dat   | a, the classificatio | n criteria are not m | et. ATE > 20 mg/l. |            |  |
| Component Informa      | ation         |                                     |  |                      |                      |                    |            |  |
| Componer               | nt            |                                     | LD50 Oral  |                      | LD50 Dermal          | LC50               | Inhalation |  |
| Water                  |               |                                     | -  |                      | -                    |                    | -          |  |
| Manganese ni           | trate         |                                     | >300 mg/kg   |                      | Not listed           | No                 | ot listed  |  |
| Toxicologically Syn    | ergistic      |                                     | No information ava   | ailable              |                      |                    |            |  |
| Products               |               |                                     |  |                      |                      |                    |            |  |
| Delayed and immed      | liate effects | s as w                              | ell as chronic effe  | cts from short ar    | nd long-term expo    | osure              |            |  |
|                        |               |                                     |  |                      |                      |                    |            |  |
| Irritation             |               |                                     | No information available   |                      |                      |                    |            |  |
|                        |               |                                     |  |                      |                      |                    |            |  |
| Sensitization          |               |                                     | No information available   |                      |                      |                    |            |  |
|                        |               |                                     |  |                      |                      |                    |            |  |
| Carcinogenicity        |               |                                     | The table below indicates whether each agency has listed any ingredient as a carcinogen. |                      |                      |                    |            |  |
|                        |               |                                     |  |                      |                      |                    |            |  |
| Component              | CAS-N         | -                                   | IARC   | NTP                  | ACGIH                | OSHA               | Mexico     |  |
| Water                  | 7732-18       |                                     | Not listed<br>Not listed   | Not listed           | Not listed           | Not listed         | Not listed |  |
| Manganese nitrate      | 10377-6       | 0-9                                 |  |                      | Not listed           | Not listed         | Not listed |  |
| Mutagenic Effects      |               |                                     | No information ava   | allable              |                      |                    |            |  |
|                        |               |                                     |  |                      |                      |                    |            |  |
| Reproductive Effects   |               |                                     | No information available.  |                      |                      |                    |            |  |
| Developmental Effects  |               |                                     | No information quailable   |                      |                      |                    |            |  |
| Developmental Effects  |               |                                     | No information available.  |                      |                      |                    |            |  |
| Torotogonicity         |               |                                     | No information evolution   |                      |                      |                    |            |  |
| Teratogenicity         |               |                                     | No information available.  |                      |                      |                    |            |  |
| STOT single avec       | ro            |                                     |  |                      |                      |                    |            |  |
| STOT - single exposure |               |                                     | None known   |                      |                      |                    |            |  |

| STOT - repeated exposure                     | Brain  |
|--|--|
| Aspiration hazard                            | No information available   |
| Symptoms / effects,both acute and<br>delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.<br>Possible perforation of stomach or esophagus should be investigated: Ingestion causes<br>severe swelling, severe damage to the delicate tissue and danger of perforation |
| Endocrine Disruptor Information              | No information available   |
| Other Adverse Effects                        | The toxicological properties have not been fully investigated.   |
|  | 12. Ecological information   |

# Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Persistence and Degradability       | based on information available. May persist  |
|-------------------------------------|--|
| <b>Bioaccumulation/Accumulation</b> | No information available.  |
| Mobility                            | Will likely be mobile in the environment due to its water solubility.                    |
|                                     | 13. Disposal considerations  |
| Waste Disposal Methods              | Chemical waste generators must determine whether a discarded chemical is classified as a |

| Waste Disposal Methods | Chemical waste generators must determine whether a discarded chemical is classified as a |
|------------------------|--|
|                        | hazardous waste. Chemical waste generators must also consult local, regional, and        |
|                        | national hazardous waste regulations to ensure complete and accurate classification.     |
|                        |  |

|                         | 14. Transport information            |
|-------------------------|--------------------------------------|
| DOT                     |                                      |
| UN-No                   | UN3093                               |
| Proper Shipping Name    | CORROSIVE LIQUIDS, OXIDIZING, N.O.S. |
| Technical Name          | Manganese nitrate                    |
| Hazard Class            | 8                                    |
| Subsidiary Hazard Class | 5.1                                  |
| Packing Group           | II                                   |
| TDG                     |                                      |
| UN-No                   | UN3093                               |
| Proper Shipping Name    | Corrosive liquid, oxidizing, n.o.s.  |
| Hazard Class            | 8                                    |
| Subsidiary Hazard Class | 5.1                                  |
| Packing Group           |                                      |
|                         |                                      |
| UN-No                   | UN3093                               |
| Proper Shipping Name    | Corrosive liquid, oxidizing, n.o.s.  |
| Hazard Class            | 8                                    |
| Subsidiary Hazard Class | 5.1                                  |
| Packing Group           |                                      |
| IMDG/IMO                |                                      |
| UN-No                   | UN3093                               |
| Proper Shipping Name    | Corrosive liquid, oxidizing, n.o.s.  |
| Hazard Class            | 8                                    |
| Subsidiary Hazard Class | 5.1                                  |
| Packing Group           |                                      |
|                         | 15. Regulatory information           |

United States of America Inventory

| Component         | CAS-No     | TSCA | TSCA Inventory notification -<br>Active/Inactive | TSCA - EPA Regulatory<br>Flags |
|-------------------|------------|------|--|--------------------------------|
| Water             | 7732-18-5  | Х    | ACTIVE   | -                              |
| Manganese nitrate | 10377-66-9 | Х    | ACTIVE   | -                              |

#### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component         | CAS-No     | DSL | NDSL | EINECS    | PICCS | ENCS | AICS | IECSC | KECL     |
|-------------------|------------|-----|------|-----------|-------|------|------|-------|----------|
| Water             | 7732-18-5  | Х   | -    | 231-791-2 | Х     | Х    | Х    | Х     | KE-35400 |
| Manganese nitrate | 10377-66-9 | Х   | -    | 233-828-8 | Х     | Х    | Х    | Х     | KE-23016 |

#### U.S. Federal Regulations

#### **SARA 313**

| Component         | CAS-No     | Weight % | SARA 313 - Threshold<br>Values % |
|-------------------|------------|----------|----------------------------------|
| Manganese nitrate | 10377-66-9 | 50       | 1.0                              |

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Not applicable

**Clean Air Act** 

| Component         | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-------------------|-----------|-------------------------|-------------------------|
| Manganese nitrate | Х         |                         | -                       |

| <b>OSHA</b> - Occupational Safety and | Not applicable |
|---------------------------------------|----------------|
| Health Administration                 |                |

CERCLA

Not applicable

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

| regulations       |               |            |              |          |              |
|-------------------|---------------|------------|--------------|----------|--------------|
| Component         | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
| Water             | -             | -          | Х            | -        | -            |
| Manganese nitrate | -             | Х          | Х            | Х        | -            |

| <b>U.S. Department of Transportation</b><br>Reportable Quantity (RQ):<br>DOT Marine Pollutant<br>DOT Severe Marine Pollutant | N<br>N<br>N                                      |
|--|--|
| U.S. Department of Homeland<br>Security  | This product does not contain any DHS chemicals. |
| Other International Regulations  |  |
| Mexico - Grade   | No information available                         |

|   | 16. Other information   |
|---|---|
| Prepared By                                     | Health, Safety and Environmental Department<br>Email: tech@alfa.com<br>www.alfa.com         |
| Revision Date<br>Print Date<br>Revision Summary | 24-Feb-2020<br>24-Feb-2020<br>SDS authoring systems update, replaces ChemGes SDS No. 1,110. |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS