

# SAFETY DATA SHEET

Creation Date 09-Sep-2009

Revision Date 26-Dec-2021

Revision Number 6

1. Identification		
Product Name	Sodium ethoxide, 21% in ethanol	
Cat No. :	AC429300000; AC429301000; AC429308000	
Synonyms	No information available	
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.	
Details of the supplier of the safety data sheet		
<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Acros Organics One Reagent Lane Fair Lawn, NJ 07410	
Emergency Telephone Number	For information <b>US</b> call: 001-800-ACROS-01 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99	

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation	Category 3 Category 1 B Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system	(CNS).

### Label Elements

Signal Word Danger

#### **Hazard Statements**

Flammable liquid and vapor Causes severe skin burns and eye damage May cause respiratory irritation



#### Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool. Protect from sunlight

## Keep cool

## Response

Immediately call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Maintain air gap between stacks/pallets

Store away from other materials

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Reacts violently with water

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethyl alcohol	64-17-5	79
Sodium ethoxide	141-52-6	21

# 4. First-aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
Inhalation	If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie down. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Call a physician immediately.
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Causes burns by all exposure routes Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically
5. Fire-fighting measures	

Suitable Extinguishing Media	CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	DO NOT USE WATER
Flash Point	25 °C / 77 °F
Method -	No information available
Autoignition Temperature	425 °C / 797 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	28 vol % 3.5 vol % t No information available No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors. **Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA			
Health	Flammability	Instability	Physical hazards
3	3	2	W

	6. Accidental release measures		
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.		
Environmental Precautions	Should not be released into the environment.		
Methods for Containment and CleanSoak up with inert absorbent material. Keep in suitable, closed containers for disposal.Upnot expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.			
	7. Handling and storage		
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.		
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from water or moist air. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents.		

# 8. Exposure controls / personal protection

# Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	STEL: 1000 ppm

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	
(	9. Physical and chemical properties	
Physical State	Liquid	

# Sodium ethoxide, 21% in ethanol

Appearance	Dark yellow
Odor	Alcohol-like
Odor Threshold	No information available
рН	13 @ 20°C 20 g/l aq. sol
Melting Point/Range	No data available
Boiling Point/Range	91 °C / 195.8 °F
Flash Point	25 °C / 77 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	28 vol %
Lower	3.5 vol %
Vapor Pressure	38 hPa @ 20 °C
Vapor Density	No information available
Specific Gravity	0.868
Solubility	Miscible with water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	425 °C / 797 °F
Decomposition Temperature	No information available
Viscosity	23 Pa.s at 20 °C
Molecular Formula	C2 H5 Na O
Molecular Weight	68.04

10. Stability an	d reactivity
------------------	--------------

Reactive Hazard	Yes
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Thermal decomposition can lead to release of irritating gases and vapors	
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing. Reacts violently with water.
	11. Toxicological information

# Acute Toxicity

-					
Product Information	No acute toxicity informati	on is available for this product			
Oral LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.				
<b>Dermal LD50</b> Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.					
Vapor LC50	50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.				
Component Information					
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Ethyl alcohol	LD50 = 10470 mg/kg OCED 401 (Bat)	Not listed	LC50 = 117-125 mg/l (4h) OECD 403 (rat)		

	OCED 401 (Rat)	OECD 403 (rat)	
	3450 mg/kg ( Mouse )	20000 ppm/10H (rat)	
Toxicologically Synergistic	oxicologically Synergistic No information available		
Products			
Delayed and immediate effects	as well as chronic effects from short a	nd long-term exposure_	
Irritation	Causes burns by all exposure route	S	
Sensitization	No information available		

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Ethyl alcohol	64-17-5	Not listed	Known	A3	Not listed	A3		
Sodium ethoxide	141-52-6	Not listed	Not listed	Not listed	Not listed	Not listed		
IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer) IARC (International Agency for Re Group 1 - Carcinogenic to Human Group 2A - Probably Carcinogenic Group 2B - Possibly Carcinogenic NTP: (National Toxicity Program) NTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasona Carcinogen A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen ACGIH: (American Conference of				ans nic to Humans nic to Humans 1) onably Anticipated to gen	be a Human			
Mutagenic Effects		No information ava				<b>, , , , , , , , , ,</b>		
Reproductive Effects		Adverse reproductive effects have occurred in humans.						
Developmental Effect	S	Substances known to cause developmental toxicity in humans.						
Teratogenicity		No information available.						
STOT - single exposu STOT - repeated expo		Respiratory system Central nervous system (CNS) None known						
Aspiration hazard		No information available						
Symptoms / effects,both acute and delayed Inhalation of high vapor concentrations may cause symptoms is contraindicated. Possible perforation of stor investigated: Ingestion causes severe swelling, severe danger of perforation			material. Use of g nach or esophagus	astric lavage or should be				
Endocrine Disruptor I	nformation	No information available						
Other Adverse Effects	5	The toxicological properties have not been fully investigated.						

# 12. Ecological information

#### Ecotoxicity

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l	Fathead minnow	Photobacterium	EC50 = 9268 mg/L/48h
	(Chlorella vulgaris)	(Pimephales promelas)	phosphoreum:EC50 = 34634	EC50 = 10800 mg/L/24h
		LC50 = 14200 mg/l/96h	mg/L/30 min	
		_	Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	
Persistence and Degrad	ability Soluble in wa	tor Porsistanco is unlikely	based on information avail	able Miscible with water

Persistence and Degradability Soluble in water Persistence is unlikely based on information available. Miscible with water

**Bioaccumulation/Accumulation** 

No information available.

#### Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Ethyl alcohol	-0.32

### Waste Disposal Methods

# 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT	
UN-No	UN2924
Proper Shipping Name	Alcohols,n.o.s., (Ethanol, Methanol)
Technical Name	Ethyl alcohol, Ethanol, sodium salt
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
<u>TDG</u>	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
IATA_	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	
	15 Degulatory informa

### 15. Regulatory information

#### United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
	Ethyl alcohol	64-17-5	Х	ACTIVE	-
Sc	odium ethoxide	141-52-6	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl alcohol	64-17-5	Х	-	200-578-6	Х	Х	Х	Х	Х	KE-13217
Sodium ethoxide	141-52-6	Х	-	205-487-5	Х	Х	Х	Х	Х	Х

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic

considered a Proposition 65 developmental hazard when it is ingested as an alcoholi beverage.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethyl alcohol	64-17-5	Development (alcoholic beverages only) Carcinogen	-	Developmental Carcinogen

# U.S. State Right-to-Know

# Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	Х	Х	Х	Х	Х

#### **U.S.** Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade Serious risk, Grade 3

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	<b>U</b> (
Sodium ethoxide	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Sodium ethoxide	141-52-6	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

		Qualifying Quantities for Major Accident Notification	Qualifying Quantities for Safety Report Requirements		
Ethyl alcohol	64-17-5	Not applicable	Not applicable	Not applicable	Annex I - Y42
Sodium ethoxide	141-52-6	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	09-Sep-2009
Revision Date	26-Dec-2021
Print Date	26-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**