



Product Name:	Triple Sugar Iron Agar - CRITERION™ Dehydrated Culture Media
Catalog Number:	C7110, C7111, C7112, C7113, C7114

Dear Customer:

This product does not require a Safety Data Sheet under the Occupational Health and Safety Administration standard entitled "Hazardous Communication" 29 CFR 1910.1200 for the United States, and Regulation (EC) No 1272/2008 for Europe.

Additionally, the product does not meet the criteria for W.H.M.I.S. classification as a controlled product. As a result, a W.H.M.I.S. Safety Data Sheet is not required (in Canada) for this product.

If you have any questions, please contact us at (800) 266-2222 option 2 or via email at [TechService@HardyDiagnostics.com](mailto:TechService@HardyDiagnostics.com).

Sincerely,

Quality Assurance Department  
Hardy Diagnostics

SDS-10473[A]

**Hardy Diagnostics** ~ 1430 West McCoy Lane ~ Santa Maria, CA 93455 ~ USA ~ (805)346-2766  
[Sales@HardyDiagnostics.com](mailto:Sales@HardyDiagnostics.com) ~ [www.HardyDiagnostics.com](http://www.HardyDiagnostics.com)  
**Distribution Centers:** California · Washington · Utah · Arizona · Texas · Ohio · New York · Florida · North Carolina

SOP-4277A [B]