

# SAFETY DATA SHEET

Creation Date 14-May-2009

Revision Date 24-December-2021

**Revision Number** 3

# 1. Identification

**Product Name** 

#### n-Pentane

Cat No. :	AC442990000; AC442990010; AC442991000
CAS-No Synonyms	109-66-0 normal pentane; n-Pentane; Amyl hydride
Recommended Use	Laboratory chemicals.

Recommended Use Uses advised against

# sed against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437

**Emergency Telephone Number** 

Acros Organics One Reagent Lane Fair Lawn, NJ 07410 Manufacturer Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

### Classification

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS).	Category 2 Category 3
Aspiration Toxicity	Category 1
Health Hazards Not Otherwise Classified	Category 1
Prolonged or repeated contact may dry skin and cause	e irritation or cracking

Label Elements

Signal Word Danger

#### Hazard Statements

Highly flammable liquid and vapor

May be fatal if swallowed and enters airways May cause drowsiness and dizziness Prolonged or repeated contact may dry skin and cause irritation or cracking

# Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharges Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection Response IF SWALLOWED: Immediately call a POISON CENTER/doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER/ doctor if you feel unwell Do NOT induce vomiting In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal

Dispose of contents/container to an approved waste disposal plant

### Other Hazards

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component		CAS-No	Weight %
	n-Pentane	109-66-0	>95
	4		
	4.	First-aid measures	
Eye Contact	Rinse imme medical atte	diately with plenty of water, also under th ntion.	ne eyelids, for at least 15 minutes. Get
Skin Contact	Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attentio symptoms occur.		t 15 minutes. Get medical attention if
Inhalation	substance; g valve or othe	resh air. Do not use mouth-to-mouth me give artificial respiration with the aid of a er proper respiratory medical device. Ge ccur. Risk of serious damage to the lung	pocket mask equipped with a one-way t medical attention immediately if

	5. Fire-fighting measures
Notes to Physician	Treat symptomatically
Most important symptoms/effects	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Ingestion	Aspiration hazard. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.
	artificial respiration.

Suitable Extinguishing Media	Dry chemical. Powder. Alcohol resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire
Flash Point	-49 °C / -56.2 °F
Method -	No information available
Autoignition Temperature	260 °C / 500 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	7.8 vol % 1.5 vol % t No information available No information available

#### **Specific Hazards Arising from the Chemical**

Extremely flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 3	Flammability 4	<b>Instability</b> 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Use personal protective e precautionary measures a	quipment as required. Remove	all sources of ignition. Take
Environmental Precautions		vater or sanitary sewer system.	
Methods for Containment and Clea Up		ition. Use spark-proof tools and	losed containers for disposal. I explosion-proof equipment. Take

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Do not breathe mist/vapors/spray. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Halogens.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Pentane	TWA: 600 ppm TWA: 1770 mg/m <sup>3</sup>	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm		600 ppm (Vacated) TWA: 1800 mg/m <sup>3</sup>	TWA: 120 ppm TWA: 350 mg/m <sup>3</sup> Ceiling: 610 ppm Ceiling: 1800

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that evewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Hand Protection	OSHA's eye and face prote EN166.	re eyeglasses or chemical safet ection regulations in 29 CFR 19 re gloves and clothing to prever	10.133 or European Standard
Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only

Viton (R)	recommendations		
Inspect gloves before use	. observe the instructions regarding p	ermeability and breakthrough tim	e which are provided by the
supplier of the gloves. (Re	efer to manufacturer/supplier for inform	nation) gloves are suitable for the	e task: Chemical compatability,
Dexterity, Operational cor	nditions, User susceptibility, e.g. sensi	itisation effects, also take into cor	nsideration the specific local
conditions under which th	e product is used, such as the danger	r of cuts, abrasion. gloves with ca	re avoiding skin contamination.

#### **Respiratory Protection**

No protective equipment is needed under normal use conditions.

#### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical a	and chemical properties
Physical State	Liquid
Appearance	Clear
Odor	Petroleum distillates
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-130 °C / -202 °F
Boiling Point/Range	36 °C / 96.8 °F @ 760 mmHg
Flash Point	-49 °C / -56.2 °F
Evaporation Rate	28.6 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	7.8 vol %
Lower	1.5 vol %
Vapor Pressure	573 mbar @ 20 °C
Vapor Density	2.5 (Air = 1.0)
Specific Gravity	0.626
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	260 °C / 500 °F
Decomposition Temperature	No information available
Viscosity	0.25 mPa.s @ 20 °C
Molecular Formula	C5 H12
Molecular Weight	72.15
-	

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents, Halogens	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

### Acute Toxicity

# Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
n-Pentane	> 2000 mg/kg (Rat)	3000 mg/kg (Rabbit)	364 g/m³ ( Rat ) 4 h

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

No information available

#### Sensitization

No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico			
n-Pentane	109-66-0	Not listed	Not listed	Not listed	Not listed	Not listed			
Mutagenic Effects Reproductive Effects		No information ava	ailable						
		No information ava	ailable.						
Developmental Effects		No information ava	ailable.						
Teratogenicity		No information available.							
STOT - single expos STOT - repeated ex		Central nervous system (CNS) None known							
Aspiration hazard		Aspiration hazard							
Symptoms / effects,both acute and delayed		Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting							
Endocrine Disrupto	r Information	No information available							
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.							

# 12. Ecological information

# Ecotoxicity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
n-Pentane	Not listed	LC50: = 9.99 mg/L, 96h (Lepomis macrochirus) LC50: = 11.59 mg/L, 96h (Pimephales promelas) LC50: = 9.87 mg/L, 96h (Oncorhynchus mykiss)	Not listed	EC50: = 9.74 mg/L, 48h (Daphnia magna)

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

1.1.1.1.1

Component	log Pow
n-Pentane	3.39

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine wheth

12 04

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information				
DOT UN-No Proper Shipping Name Hazard Class Packing Group	UN1265 PENTANES 3 II				

<u>TDG</u> UN-No Proper Shipping Name Hazard Class Packing Group IATA	UN1265 PENTANES 3 II
UN-No	UN1265
Proper Shipping Name	PENTANES
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1265
Proper Shipping Name	PENTANES
Hazard Class	3
Packing Group	II
	15. Regulatory information

### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
n-Pentane	109-66-0	X	-	Х	ACTIVE	203-692-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
n-Pentane	109-66-0	Х	KE-27968	Х	Х	Х	Х	Х	Х

#### Legend:

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
n-Pentane	Part 5, Isomer Groups Part 4 Substance		

#### Other International Regulations

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
n-Pentane	109-66-0	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
n-Pentane	109-66-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information	
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	14-May-2009 24-December-2021 24-December-2021 This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals. SDS sections updated. 2.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**