

1. Identification of the Preparation and of the Company

Product Name and/or code: Nova Color Artists' Acrylic Paints: Regular Colors  
 Effective Date: 12/4/2013  
 Manufacturer: Artex Manufacturing Company  
 5894 Blackwelder St.  
 Culver City, CA USA 90232-7304  
 Emergency Contact: 310-204-6900  
 Telephone: 310-204-6900  
 Fax: 310-838-3077; 310-838-2094  
 Product Use: Arts & Crafts Materials  
 Colors:

Item No. Product	Item No. Product	Item No. Product
100 Burnt Sienna	134 Raw Titanium Matte	160 Yellow Gold (Pearlescent)
101 Burnt Umber	135 Phthalo Turquoise	161 Emerald (Pearlescent)
103 Carbazole Dioxazine Violet	136 Hot Pink	162 Ruby (Pearlescent)
105 Cobalt Blue	137 Silver (Pearlescent)	163 Green Pearl (Interference)
106 Indian Yellow (Azo Yel Orange)	138 Gold (Pearlescent)	164 Yellow Pearl (Interference)
107 Hansa Yellow Light	139 Super Pearl White (Pearlescent)	165 Blue Pearl (Interference)
108 Iron Oxide/ Mars Black	140 Payne's Gray	166 Sparkling Pearl (Pearlescent)
109 Carbon Black	141 Mars/Iron Oxide Violet	167 Orange Pearl (Interference)
110 Organic Pyrrole Orange	142 Blue Green	169 Lilac Pearl (Interference)
114 Alizarin Crimson Hue	143 Permanent Green Light	171 Naphthol Crimson
115 Phthalo Blue (Red Shade)	144 Azo Yellow Medium	172 Black Pearl (Pearlescent)
115D Phthalo Blue Deep (Green Shade)	147 Quinacridone Magenta	173 Brass Pearl (Pearlescent)
116 Phthalo Green	148 Super Pearl Gold (Pearlescent)	174 Neutral Gray
118 Titanium White	149 Transparent Red Iron Oxide	175 Transparent Yellow Iron Oxide
119 Venetian/Iron Oxide Red	150 Portrait Tone	176 Indanthrone Blue
120 Yellow Green	151 Royal Gold (Pearlescent)	177 Phthalo Green, Yellow Shade
121 Yellow Ochre/Iron Oxide	152 Stainless Steel (Fine)	178 Arylide Yellow (PY194)
122 Ultramarine Blue	153 Iridescent Pearl Red (Interference)	181 Quinacridone Violet
126 Quinacridone Purple	154 Red Copper (Pearlescent)	182 Medium Green
127 Cerulean Blue Hue	155 Golden Bronze (Pearlescent)	183 Bone/Ivory Black
128 Raw Sienna	156 Antique Silver (Pearlescent)	184 Deep Green
129 Quinacridone Red	157 Sapphire (Pearlescent)	185 Sun Gold (Pearlescent)
130 Nacreous White (Pearlescent)	158 Antique Copper (Pearlescent)	186 Medium Violet/Purple
133 Bismuth Yellow	159 Antique Gold (Pearlescent)	187 Pyrrole Red

2. Hazards Identification

Classification of the Product: Preparation is not classified as hazardous in directive 1999/45/EC.  
 Regulation (EC) No. 1272/2008 Not classified as dangerous for supply/use.  
 Directive 67/548/EEC & Directive Not classified as dangerous for supply/use.  
Label Elements  
 Precaution Statement: None  
 First Aid Statement: None  
 Children's Statement: None  
 Other Hazards: None

**3. Composition/Information on Ingredients:**

The ingredients in this product are judged to be non-hazardous and are regarded as trade secrets.

EC Classification No. 1272/2008

Hazardous Ingredient(s)	% Weight/ Weight	REACH Registration No.	Hazard Statement(s)
None	-	-	

EC Classification No. 67/548/EEC

Hazardous Ingredient(s)	% Weight/ Weight	REACH Registration No.	Hazard Statement(s)
None	-	-	

**4. First Aid Measures**

General	In all cases where exposure occurs, or when symptoms and signs occur, seek medical attention. Never give anything by mouth to an unconscious person. If found unconscious, place person on side to open airway and seek medical attention.
Inhalation	Not likely to occur. Remove to fresh air. If breathing difficulty occurs or discomfort occurs and persists, seek medical attention.
Skin Contact	Wash immediately with soap and water. Rinse thoroughly.
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.
Ingestion	Drink water or milk to dilute. Get medical attention. Never give fluids if a person is unconscious or is having convulsions. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**5. Firefighting Measures**

Extinguishing Media	Water, foam, carbon dioxide or dry chemical.
Fire/Explosion Hazards	Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.
Additional Information	None required.

**6. Accidental Release Measures**

Personal Precautions	Use under ventilated conditions. Use personal protective equipment. Refer to Section 8.
Methods and Materials for Containment and Cleaning up	Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

**7. Handling and Storage**

Safe Handling	General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in the work room. Avoid unnecessary contact.
Storage	Store in dry place, away from excessive heat, in original or similar container. Keep container closed when not being used.

**8. Exposure Controls/Personal Protection**

Personal Protective Equipment

Eyes and Face	Wear protective eye-goggles, when splashing may occur.
Protective clothing	No special clothing is required.

## Respiratory and Ventilation

Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. The applicable limits for nuisance dusts are ACGIH TLV 10 mg/m<sup>3</sup> (total dust), 3 mg/m<sup>3</sup> (respirable fraction), OSHA PEL 15 mg/m<sup>3</sup> (total dust), 5 mg/m<sup>3</sup> (respirable fraction).  
Use in accordance with manufacturer's use limitations and OSHA Regulations.

9. Physical and Chemical Properties	
-------------------------------------	--

Physical Description	Waterbased acrylic paints.
Appearance	Viscous liquid. A variety of colors.
Odor	Acrylic
Boiling Point	212 F
Melting Point	Not Applicable
Freezing Point	32 F
State (pH)	Not Applicable
Flashpoint	None
Solubility in water	Miscible
Specific Gravity	1.09-1.50
Bulk Density	Not Applicable
% Volatile by Weight	Not Applicable
Vapor Pressure	Equivalent to water
Vapor Density	Equivalent to water

10. Stability and Reactivity	
------------------------------	--

Chemical Stability	Stable under normal conditions.
Polymerization	No
Incompatible Materials	Avoid strong oxidizing agents.
Conditions to avoid	Not Applicable
Thermal Decomposition	No thermal decomposition occurs when stored and handled properly.

Hazardous Decomposition Products	None known.
----------------------------------	-------------

11. Toxicological Information	
-------------------------------	--

Health Effects	Heated decomposition products may cause eye and respiratory irritation.
Eye Effects	May cause irritation or redness.
Skin Effects	Prolonged liquid contact with skin may cause irritation or redness.
Sensitization	None likely to occur.
Inhalation	Not likely.
Ingestion	No effects known in usual and ordinary uses of product.
<u>Carcinogenicity:</u>	
NTP	No
IARC	No
OSHA	No

12. Ecological Information	
----------------------------	--

No significant environmental effects are expected. No significant effects on aquatic organisms are expected.

13. Disposal Considerations	
-----------------------------	--

Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

#### 14. Transport Information

DOT Shipping Name:	Paints or stains 149980 Sub. 2
D.O.T. Hazard Class:	Non-hazardous
U.N./N.A. Number:	None
Product RQ (LBS):	None
D.O.T. Label:	None
D.O.T. Placard:	None
Freight Class Bulk:	55
Freight Class Package:	Not known
Product Label:	Not known
IMDG:	Non-hazardous
IATA/ICAO:	Non-hazardous

#### 15. Regulatory Information

OSHA Status:	Not Applicable
TSCA Status:	Not Applicable
CERCLA Reportable Quantity:	Not Applicable
SARA Title III:	Not Applicable
Section 302 Extremely Hazardous	Not Applicable
Section 311/312:	Not Applicable
Section 313: Toxic Chemicals:	Not Applicable
RCRA Status:	Not Applicable

California Proposition 65: WARNING! This product contains a chemical known to the State of California to cause cancer. The listings of Titanium Dioxide, Carbon Black, Silica, crystalline are for "airborne, unbound particles of respirable size." These listings are not applicable to the chemicals when they remain bound within a product matrix and are not bioavailable.

#### 16. Other Information

Preparation Date:	12/30/2004
Revision Date:	9/16/2015
Reason for Issue:	GHS SDS - California Proposition 65 Statement
Prepared by:	Rudolph J. Jaeger, Ph.D., DABT, ERT (UK) Chief Toxicologist and President ENVIRONMENTAL MEDICINE, INC. 263 CENTER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com <u>201-666-7929 x13</u>

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Artex Manufacturing Company. The information is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Artex Manufacturing Company assumes no liability for any loss or damage arising out of the use of this information, without limitation, including direct or indirect losses or expenses. It is the sole responsibility of the user to determine safe conditions for use of this product and to assume any and all liability for any loss, damage or expense whatsoever arising out of the use of the product.