

SAFETY DATA SHEET

1. Identification

Product identifier Super White™ Multi-Purpose Lithium Grease

Other means of identification

Product code

SL3150, SL3151, SL3155, SL3159, SL3360, SL3361

Recommended use

Multi-purpose grease

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name **Address**

CRC Industries, Inc.

885 Louis Dr.

Warminster, PA 18974 US

Telephone

General Information

Technical

215-674-4300 800-521-3168

Assistance Customer Service

24-Hour Emergency

800-272-4620 800-424-9300 (US)

(CHEMTREC)

703-527-3887 (International)

Website

www.crcindustries.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Sensitization, skin

Category 1

By: CRC

Sta-Lube Multi-Purpose

Super White Lithium Greage

Environmental hazards

Hazardous to the aquatic environment, acute

Category 3

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

OSHA defined hazards

Not classified.

Label elements



Signal word

Hazard statement

May cause an allergic skin reaction. Harmful to aquatic life. Harmful to aquatic life with long

lasting effects.

Precautionary statement

Prevention

Avoid breathing vapors. Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves. Avoid release to the environment.

Response

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Wash

contaminated clothing before reuse.

Storage

Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	80 - 90
Zinc oxide		1314-13-2	3 - 5
Calcium bis(dinonylnaphthalenesulphonate)		57855-77-3	< 1

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Ingestion

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is
	difficult, trained personnel should give oxygen. Do not use mouth-to-mouth method if victim inhaled
	the substance. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Drink 1 or 2 glasses of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. If ingestion of a large amount does occur, call a poison control center immediately.

Most important Irritation of eyes and mucous membranes. May cause an allergic skin reaction. Rash. Skin symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media
Unsuitable extinguishing media
Specific hazards arising from the chemical
Special protective equipment and precautions for firefighters

General fire hazards

Use fire-extinguishing media appropriate for surrounding materials.

None known.

During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Collect spill using a vacuum cleaner with a HEPA filter. Avoid dust formation. Place all material into loosely covered plastic containers for later disposal. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Use care in handling/storage. For product usage instructions, please see the product

Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS). Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place.

8. Exposure controls/personal protection

cupational exposure limits US. OSHA Table Z-1 Limits	for Air Contar			. <u></u>
Components		Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS		PEL	5 mg/m3	Mist.
64742-52-5)			2000 mg/m3 500 ppm	
Titanium dioxide (CAS 13463-67-7)		PEL	15 mg/m3	Total dust.
Zinc oxide (CAS 1314-13-2)		PEL	5 mg/m3 5 mg/m3	Respirable fraction. Fume.
			15 mg/m3	Total dust.
US. ACGIH Threshold Limit	Values		70 mg/mo	Total duot.
Components	Values	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)		TWA	5 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)		TWA	10 mg/m3	
Zinc oxide (CAS 1314-13-2)		STEL	10 mg/m3	Respirable fraction.
		TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to	Chemical Ha	zards	-	•
Components		Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)		Ceiling	1800 mg/m3	.*
		STEL	10 mg/m3	Mist.
		TWA	5 mg/m3	Mist.
Zinc oxide (CAS 1314-13-2)		Ceiling	15 mg/m3	Dust.
		STEL	10 mg/m3	Fume.
		TWA	5 mg/m3	Dust.
			5 mg/m3	Fume.
logical limit values	No biological	exposure limits noted for the ingre	- · · · · · · · · · · · · · · · · · · ·	
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
ividual protection measures, Eye/face protection	-	onal protective equipment glasses with side shields (or goggl	les).	
Skin protection				
Hand protection	Wear protective gloves such as: Nitrile. Neoprene.			
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.			
Thermal hazards		riate thermal protective clothing, w	vhen necessary.	
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.			

9. Physical and chemical properties

Appearance

Physical state

Solid.

Form

Grease.

Color

White.

Odor

Petroleum.

Odor threshold

Not available.

pН

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling

680 °F (360 °C) estimated

range

475 °F (246.1 °C) Cleveland Open Cup

Evaporation rate

Flash point

Very slow.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Vapor pressure

1066.6 hPa estimated

Vapor density

> 5 (air = 1)

Relative density

0.9

Solubility (water)

Insoluble.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

500 °F (260 °C) estimated

Decomposition temperature

Not available.

Viscosity (kinematic)

145 - 185 cSt (104 °F (40 °C))

Percent volatile

Not available.

Other information

Pour point

0 °F (-17.8 °C)

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Contact with incompatible materials.

Conditions to avoid

Incompatible materials Hazardous decomposition Strong oxidizing agents. Carbon oxides. Metal oxides.

products

11. Toxicological information

Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation

Health injuries are not known or expected under normal use.

No dangerous reaction known under conditions of normal use.

Skin contact

May cause an allergic skin reaction.

Eve contact

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and

toxicological characteristics

Rash. Irritation of eyes and mucous membranes. Skin irritation. May cause an allergic skin

reaction. Dermatitis.

Information on toxicological effects

Αcι	ute	to	Kic	ity
-----	-----	----	-----	-----

May cause an allergic skin reaction.

Product

Species

Test Results

Super White™ Multi-Purpose Lithium Grease

Acute

Dermal

LD50

Rabbit

> 2000 mg/kg

Oral

LD50

Rat

> 5000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitization

Not available.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

Not likely, due to the form of the product.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not likely, due to the form of the product.

Chronic effects

Prolonged exposure may cause chronic effects.

12. Ecological information

cotoxicity	Harmful to	aquatic life with long lasting effects.		
Product		Species	Test Results	
Super White™ Multi-P	urpose Lithium Gre	ase		
Aquatic				
Acute				
Crustacea	EC50	Daphnia	3.3075 mg/l, 48 hours estimated	
Fish	LC50	Fish	37.1245 ppm, 96 hours estimated	
Components		Species	Test Results	
Distillates (petroleum)	, hydrotreated heav	y naphthenic (CAS 64742-52-5)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	1000 mg/l, 48 hours	
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	5000 mg/l, 96 hours	
Titanium dioxide (CAS	13463-67-7)			
Acute				
Other	EC50	Pseudokirchnerella subcapitata	5.83 mg/l, 72 hours	
Chronic				
Other	NOEC	Pseudokirchnerella subcapitata	0.984 mg/l, 72 hours	
Aquatic				
Acute				
Crustacea	LC50	Ceriodaphnia dubia	3 mg/l, 48 hours	
		Water flea (Daphnia magna)	5.5 ppm, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	1000 mg/l, 96 hours	

Components Species Test Results

Zinc oxide (CAS 1314-13-2)

Aquatic

Acute

Crustacea

EC50

Water flea (Daphnia magna)

0.098 mg/l, 48 hours

Fish

LC50

Rainbow trout, donaldson trout

(Oncorhynchus mykiss)

1.1 ppm, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Not readily biodegradable.

Bioaccumulative potential

No data available.

Bioconcentration factor (BCF)

Titanium dioxide

352

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal of waste from residues / unused products

This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Zinc oxide (CAS 1314-13-2)

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc oxide (CAS 1314-13-2)

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Feed and Dr

Food and Drug

Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No

Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. New Jersey Worker and Community Right-to-Know Act

Titanium dioxide (CAS 13463-67-7)

Zinc oxide (CAS 1314-13-2)

US. Massachusetts RTK - Substance List

Titanium dioxide (CAS 13463-67-7)

Zinc oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc oxide (CAS 1314-13-2)

Titanium dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Zinc oxide (CAS 1314-13-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR

100 %

51.100(s))

Consumer products (40 CFR 59, Subpt. C)

Not regulated

State

Consumer products

Not regulated

VOC content (CA)

< 0.1 %

VOC content (OTC)

< 0.1 %

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

/es

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

issue date 01-19-2015

Prepared by Allison Cho

Version # 01

Further information Not available.

HMIS® ratings Health: 1 Flammability: 1

Physical hazard: 0 Personal protection: B

NFPA ratings Health: 1

Flammability: 1 Instability: 0

NFPA ratings



Disclaimer

CRC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.