

Safety Data Sheet

Fast Green, 0.5% Alcoholic

CAROLINA[®]
www.carolina.com

Section 1 Product Description

Product Name: Fast Green, 0.5% Alcoholic
Recommended Use: Science education applications
Synonyms: N/A
Distributor: Carolina Biological Supply Company
2700 York Road, Burlington, NC 27215
1-800-227-1150
Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)
Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER



Highly flammable liquid and vapor. Toxic in contact with skin. Causes damage to organs.

GHS Classification:

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2

Other Safety Precautions: IF exposed: Call a POISON CENTER or doctor/physician.

Section 3 Composition / Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>	<u>%</u>
Ethanol	64-17-5	85.55
Water	7732-18-5	4.98
2-Propanol	67-63-0	4.73
Methanol	67-56-1	4.25
Fast Green	569-64-2	0.5

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.
Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5 Firefighting Procedures

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

Safety Data Sheet

Fire and/or Explosion Hazards:	Extremely flammable. Vapors may travel back to ignition source. Closed Containers exposed to heat may explode.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide

Section 6 Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:	Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away. Remove soiled clothing and launder before reuse. Wash area with soap and water Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container Contain the discharged material.
---	--

Section 7 Handling and Storage

Handling:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed in a cool, well-ventilated place. This material should be kept in an area suitable for the storage of flammable liquids. Store away from oxidizing agents, sparks and flame. Bond and ground containers when transferring liquid. Do not breathe dust/vapor. Do not get in eyes, on skin, or on clothing. Retained residue may make empty containers hazardous; use caution. After contact with skin, wash immediately with plenty of water. Harmful if swallowed.
Storage:	Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed in a cool, well-ventilated place.
Storage Code:	Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8 Protection Information

<u>Chemical Name</u>	<u>ACGIH</u>		<u>OSHA PEL</u>	
	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA	N/A
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m3 TWA	N/A

Control Parameters

Engineering Measures:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
Personal Protective Equipment (PPE):	Lab coat, apron, eye wash, safety shower.
Respiratory Protection:	No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section 11. A respirator is not normally required.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection:	Wear chemical splash goggles when handling this product. Have an eye wash station available.
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work
Gloves:	Nitrile

Section 9 Physical Data

Formula: See Section 3	Vapor Pressure: 40 mmHg at 20 °C (Ethanol)
-------------------------------	---

Safety Data Sheet

Molecular Weight: N/A	Evaporation Rate (BuAc=1): 1.4 (Ethanol)
Appearance: Colorless Liquid	Vapor Density (Air=1): 1.59 (Ethanol)
Odor: Moderate Alcohol Odor	Specific Gravity: .790 at 20 °C (Ethanol)
Odor Threshold: No data available	Solubility in Water: Soluble
pH: No data available	Log Pow (calculated): -0.32
Melting Point: -114 C	Autoignition Temperature: No data available
Boiling Point: 79 C	Decomposition Temperature: No data available
Flash Point: 17 C	Viscosity: No data available
Flammable Limits in Air: (Ethanol) LEL: 3.3% UEL: 19%	Percent Volatile by Volume: 100%

Section 10

Reactivity Data

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition.
Incompatible Materials:	Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials
Hazardous Decomposition Products:	Carbon dioxide
Hazardous Polymerization:	Will not occur

Section 11

Toxicity Data

Routes of Entry	Inhalation, ingestion, eye or skin contact.
Symptoms (Acute):	Impaired Kidney Function, Liver disorders, Cardiovascular system, Gastrointestinal,
Delayed Effects:	No data available

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm
Fast Green	569-64-2			

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
2-Propanol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed

Chronic Effects:

Mutagenicity:	No evidence of a mutagenic effect.
Teratogenicity:	No evidence of a teratogenic effect (birth defect).
Sensitization:	No evidence of a sensitization effect.
Reproductive:	No evidence of negative reproductive effects.
Target Organ Effects:	
Acute:	See Section 2
Chronic:	Certain components or species of this product are considered potential carcinogens., Mutation data cited., Reproductive data cited., Tumorigenic data cited.

Section 12

Ecological Data

Overview:	Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife. Keep out of waterways.
Mobility:	This material is expected to have moderate mobility in soil. It absorbs to most soil types.
Persistence:	Biodegradation
Bioaccumulation:	Bioconcentration is not expected to occur.
Degradability:	Biodegrades quickly.
Other Adverse Effects:	No data

Safety Data Sheet

Chemical Name Ethanol	CAS Number 64-17-5	Eco Toxicity 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
Water 2-Propanol	7732-18-5 67-63-0	No data available 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
Methanol	67-56-1	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

Section 13 Disposal Information

Disposal Methods:	Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.
Waste Disposal Code(s):	Not Determined

Section 14 Transport Information

Ground - DOT Proper Shipping Name: UN1933, Flammable liquids, n.o.s. (Contains Ethanol, Methy isobutyl ketone, Hexane), 3, III	Air - IATA Proper Shipping Name: UN1933, Flammable liquids, n.o.s. (Contains Ethanol, Methy isobutyl ketone, Hexane), 3, III
--	--

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	No	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; 2270 kg final RQ	No	No
Fast Green	569-64-2	C.I. Basic Green 4	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Section 16 Additional Information

Revised: 10/22/2015 **Replaces: 10/20/2015** **Printed: 07-06-2016**

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

Safety Data Sheet

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act
N/A	Not Available	SARA	Superfund Amendments and Reauthorization Act
		TLV	Threshold Limit Value
		TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health